

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		1/21
Last revised date :	-		·

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Silicon tetrafluoride

Trade name: Silicon tetrafluoride 4.8

Additional identification

Chemical name: Silicon tetrafluoride

Chemical formula: SiF4
INDEX No. -

CAS-No. 7783-61-1 EC No. 232-015-5

REACH Registration No. 01-2120762243-59

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Industrial and professional use for chemical analysis, calibration, (routine)

quality control, laboratory use. Under controlled conditions.

Industrial and professional. Perform risk assessment prior to use. Use for electronic component manufacture. Using gas alone or in mixtures for the

calibration of analysis equipment.

Uses advised againstContact supplier for more information on uses. Uses other than those listed

above are not supported. Consumer use.

1.3 Details of the supplier of the safety data sheet

Supplier

Linde Gas A/S

Telephone: +4532836600

Lautruphøj 2-6 2750 Ballerup

E-mail: sds.ren@linde.com

1.4 Emergency telephone number: Poison control hotline: tel. +45 82 12 12 12



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		2/21
Last revised date :	-		·

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended.

Physical Hazards

Gases under pressure Liquefied gas H280: Contains gas under pressure; may explode if

heated.

Health Hazards

Acute toxicity (Inhalation - gas) Category 2 H330: Fatal if inhaled.

Skin corrosion Category 1A H314: Causes severe skin burns and eye damage.

Serious eye damage Category 1 H318: Causes serious eye damage.

2.2 Label Elements

Contains: Silicon tetrafluoride



Signal Word: Danger

Hazard Statement(s): H280: Contains gas under pressure; may explode if heated.

H330: Fatal if inhaled.

H314: Causes severe skin burns and eye damage.

Precautionary Statements

General None.

Prevention: P260: Do not breathe gas/vapors.

P280: Wear protective gloves/protective clothing/eye protection/face

protection.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		3/21
Last revised date :	-		·

Response: P303+P361+P353+P315: IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/ shower. Get immediate

medical advice/attention.

P304+P340+P315: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get immediate medical advice/attention. P305+P351+P338+P315: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

Storage: P403: Store in a well-ventilated place.

P405: Store locked up.

Disposal None.

Supplemental information

EUH071: Corrosive to the respiratory tract.

Unknown toxicity - Health

Acute toxicity, inhalation, gas 0 %

Unknown toxicity - Environment

Acute hazards to the aquatic

100 %

environment

Chronic hazards to the aquatic

100 %

environment



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		4/21
Last revised date :	-		·

2.3 Other hazards

Contact with evaporating liquid may cause frostbite or freezing of skin. **Endocrine disrupting properties-Toxicity**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties-Ecotoxicity

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		5/21
Last revised date :	-		,

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name Silicon tetrafluoride

INDEX No.:

CAS-No.: 7783-61-1 **EC No.:** 232-015-5

REACH Registration No.: 01-2120762243-59

Purity: 100%

The purity of the substance in this section is used for classification only, and does not represent the actual purity of the substance as supplied, for which other

documentation should be consulted.

Trade name: Silicon tetrafluoride 4.8

C		Chemical formula	Concentration	CAS-No.		REACH Registration No.	M-Factor:	Notes
	Silicon tetrafluoride	SiF4	100%	7783-61-1	232-015-5	01- 2120762243- 59		

The concentrations of the components in the SDS header, product name on page one and in section 3.2 are in mol due to regulatory requirements. All concentrations are nominal.

SECTION 4: First aid measures

General: Remove victim to uncontaminated area wearing self contained breathing

apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if

breathing stopped.

4.1 Description of first aid measures

Inhalation: Remove victim to uncontaminated area wearing self contained breathing

apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if

breathing stopped.

[#] This substance has workplace exposure limit(s).

^{##} This substance is listed as SVHC.PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		6/21
Last revised date :	-		,

Eye contact: Rinse the eye with water immediately. Remove contact lenses, if present and easy

to do. Continue rinsing. Flush thoroughly with water for at least 15 minutes. Get immediate medical assistance. If medical assistance is not immediately available,

flush an additional 15 minutes.

Skin Contact: Immediately flush with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Get medical attention immediately. Contact with evaporating liquid may cause frostbite or freezing of skin. In case of skin contact, wearing rubber gloves rub 2.5% calcium gluconate gel continuously into

the affected area for 1.5 hours or until further medical care is available.

Ingestion: Ingestion is not considered a potential route of exposure.

4.2 Most important symptoms and

effects, both acute and

delayed:

Causes severe skin burns and eye damage. Contact with liquefied gas can cause damage (frostbite) due to rapid evaporative cooling. May be fatal if inhaled.

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: Causes severe skin burns and eye damage. Contact with liquefied gas can cause

damage (frostbite) due to rapid evaporative cooling. May be fatal if inhaled.

Treatment: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate

medical advice/attention. Treat with a corticosteroid spray as soon as possible

after inhalation. Get immediate medical advice/attention.

SECTION 5: Firefighting measures

General Fire Hazards: Heat may cause the containers to explode.

5.1 Extinguishing media

Suitable extinguishing media: Use water spray to reduce vapors or divert vapor cloud drift. Water Spray or Fog.

Dry powder. Foam. Carbon Dioxide.

Unsuitable extinguishing

media:

None.

5.2 Special hazards arising from the

substance or mixture:

Fire or excessive heat may produce hazardous decomposition products.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		7/21
Last revised date :	-		·

Hazardous Combustion Products: If involved in a fire the following toxic and/or corrosive fumes may be produced

by thermal decomposition: Hydrogen fluoride

5.3 Advice for firefighters

Special fire-fighting procedures:

In case of fire: Stop leak if safe to do so. Use of water may result in the formation of very toxic aqueous solutions. Keep run-off water out of sewers and water sources. Dike for water control. Continue water spray from protected position until container stays cool. Use extinguishants to contain the fire. Isolate the source of

the fire or let it burn out.

Special protective equipment

for fire-fighters:

Gas tight chemically protective clothing (Type 1) in combination with self

contained breathing apparatus.

Guideline: EN 943-2 Protective clothing against liquid and gaseous chemicals, aerosols and solid particles. Performance requirements for gas-tight (Type 1)

chemical protective suits for emergency teams (ET)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Evacuate area. Provide adequate ventilation. Monitor the concentration of the released product. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. EN 137 Respiratory protective devices - Self-contained open-circuit compressed air breathing apparatus with full face mask - Requirements, testing, marking.

6.2 Environmental Precautions: Prevent further leakage or spillage if safe to do so. Reduce vapour with fog or fine

water spray. Keep run-off water out of sewers and water sources. Dike for water

control.

6.3 Methods and material for containment and cleaning up:

Provide adequate ventilation. Wash contaminated equipment or sites of leaks

with copious quantities of water.

6.4 Reference to other sections: Refer to sections 8 and 13.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		8/21
Last revised date :	-		·

SECTION 7: Handling and storage:

7.1 Precautions for safe handling:

Only experienced and properly instructed persons should handle gases under pressure. Avoid exposure - obtain special instructions before use. Use only properly specified equipment which is suitable for this product, its supply pressure and temperature. Installation of a cross purge assembly between the container and the regulator is recommended. Excess pressure must be vented through an appropriate scrubber system. Refer to supplier's handling instructions. The substance must be handled in accordance with good industrial hygiene and safety procedures. Protect containers from physical damage; do not drag, roll, slide or drop. Do not remove or deface labels provided by the supplier for the identification of the container contents. When moving containers, even for short distances, use appropriate equipment eq. trolley, hand truck, fork truck etc. Secure cylinders in an upright position at all times, close all valves when not in use. Provide adequate ventilation. Suck back of water into the container must be prevented. Do not allow backfeed into the container. Avoid suckback of water. acid and alkalis. Keep container below 50°C in a well ventilated place. Observe all regulations and local requirements regarding storage of containers. When using do not eat, drink or smoke. Store in accordance with local/regional/national/international regulations. Never use direct flame or electrical heating devices to raise the pressure of a container. Leave valve protection caps in place until the container has been secured against either a wall or bench or placed in a container stand and is ready for use. Damaged valves should be reported immediately to the supplier Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Replace valve outlet caps or plugs and container caps where supplied as soon as container is disconnected from equipment. Keep container valve outlets clean and free from contaminates particularly oil and water. If user experiences any difficulty operating container valve discontinue use and contact supplier. Never attempt to transfer gases from one container to another. Container valve guards or caps should be in place.

7.2 Conditions for safe storage, including any incompatibilities:

Containers should not be stored in conditions likely to encourage corrosion. Keep away from food, drink and animal feeding stuffs. Stored containers should be periodically checked for general conditions and leakage. Container valve guards or caps should be in place. Store containers in location free from fire risk and away from sources of heat and ignition. Keep away from combustible material.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		9/21
Last revised date :	-		,

7.3 Specific end use(s):

None.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

Biological Limit Values

No biological exposure limits noted for the ingredient(s).

DNEL-Values

Critical component	Туре	Value	Remarks
Silicon tetrafluoride			DNEL not available

8.2 Exposure controls

Appropriate engineering controls:

Consider a work permit system e.g. for maintenance activities. Ensure adequate air ventilation. Provide adequate general and local exhaust ventilation. Keep concentrations well below occupational exposure limits. Gas detectors should be used when toxic quantities may be released. Systems under pressure should be regularly checked for leakages. Product to be handled in a closed system and under strictly controlled conditions. Only use permanent leak tight installations (e.g. welded pipes). Do not eat, drink or smoke when using the product.

Individual protection measures, such as personal protective equipment

General information:

A risk assessment should be conducted and documented in each work area to assess the risks related to the use of the product and to select the PPE that matches the relevant risk. The following recommendations should be considered. Keep self contained breathing apparatus readily available for emergency use. Keep suitable chemically resistant protective clothing readily available for emergency use. Personal protective equipment for the body should be selected based on the task being performed and the risks involved. Protect eyes, face and skin from contact with product. Refer to local regulations for restriction of emissions to the atmosphere. See section 13 for specific methods for waste gas treatment.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		10/21
Last revised date :	-		·

Eye/face protection: Safety eyewear, goggles or face-shield to EN166 should be used to avoid

exposure to liquid splashes. Wear eye protection to EN 166 when using gases.

Guideline: EN 166 Personal Eye Protection.

Skin protection

Hand Protection: Guideline: EN 388 Protective gloves against mechanical risks.

Additional Information: Wear working gloves while handling containers Guideline: EN 374-1/2/3 Protective gloves against chemicals and micro-

organisms.

Additional Information: Chemically resistant gloves complying with EN 374 should

be worn at all times when handling chemical products if a risk assessment

indicates this is necessary.

Body protection: Keep suitable chemically resistant protective clothing readily available for

emergency use.

Guideline: EN 943 Protective clothing against liquid and gaseous chemicals,

including liquid aerosols and solid particles.

Other: Wear safety shoes while handling containers

Guideline: ISO 20345 Personal protective equipment - Safety footwear.

Respiratory Protection: Reference should be made to European Standard EN 689 for methods for the

assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances. The selection of the Respiratory Protective Device (RPD) must be based on known or anticipated exposure levels, the hazards of the product and the safe working

limits of the selected RPD.

Material: Filter B

Guideline: EN 14387 Respiratory protective devices. Gas filter(s) and combined

filter(s). Requirements, testing, marking.

Guideline: EN 136 Respiratory protective devices. Full face masks. Requirements,

testing, marking.

Thermal hazards: No precautionary measures are necessary.

Hygiene measures: Obtain special instructions before use. Specific risk management measures are not

required beyond good industrial hygiene and safety procedures. Do not eat, drink

or smoke when using the product.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		11/21
Last revised date :	-		·

Environmental exposure

For waste disposal, see section 13 of the SDS.

controls:

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: Gas

Form: Liquefied gas Color: Colorless

Odor: Suffocating odor

Odor Threshold: Odor threshold is subjective and is inadequate to warn of over

exposure.

Melting Point: $-123 \degree F/-86 \degree C$ Boiling Point: $-139.4 \degree F/-95.2 \degree C$

Flammability: This product is not flammable.

Upper/lower limit on flammability or explosive limits

Explosive limit - upper:Not applicable **Explosive limit - lower:**Not applicable

Flash Point: Not applicable to gases and gas mixtures.

Autoignition Temperature:Not applicable.Decomposition Temperature:Not known.pH:Not applicable

Viscosity

Dynamic viscosity:No data available. **Kinematic viscosity:**No data available.

Solubility(ies)

Solubility in Water: 41,13 g/l (77 °F/ 25 °C)Solubility (other): No data available.

Partition coefficient (n-octanol/water): Not known.

Dispersion Stability: No data available.

Vapor pressure: 35,17 hPa (77 °F/25 °C)



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		12/21
Last revised date :	-		, i

Relative density: No data available.

Density: 37,2 g/cm3 (68,0 °F/20,0 °C)

Relative vapor density: 3,57 AIR=1 59 °F/15 °C

Particle characteristics: Not applicable

9.2 Other information

Flammability: Ki: 1,5

Molecular weight: 104,06 g/mol (SiF4)

Critical Temp. (°C): -14,1 °C

SECTION 10: Stability and reactivity

10.1 Reactivity: No reactivity hazard other than the effects described in sub-section below.

10.2 Chemical Stability: Stable under normal conditions.

10.3 Possibility of hazardous

reactions:

No data available.

10.4 Conditions to avoid: Avoid moisture in the installation.

10.5 Incompatible Materials: Moisture. For material compatibility see latest version of ISO-11114.

10.6 Hazardous Decomposition

Products:

Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

SECTION 11: Toxicological information

General information: Absorption of excessive F- can result in acute systemic fluorosis with

hypocalcaemia interference with various metabolic functions and organ damage

(heart, liver, kidneys).

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Oral

Product Based on available data, the classification criteria are not met.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		13/21
Last revised date :	-		

Acute toxicity - Dermal

Product Based on available data, the classification criteria are not met.

Acute toxicity - Inhalation

Product Fatal if inhaled.

Silicon tetrafluoride LC 50 (Rat, 4 h): 225 ppm

Skin Corrosion/Irritation

Product Causes severe burns.

Silicon tetrafluoride Corrosive.

Serious Eye Damage/Eye Irritation

Product Causes serious eye damage.

Respiratory or Skin Sensitization

Product Based on available data, the classification criteria are not met.

Germ Cell Mutagenicity

Product Based on available data, the classification criteria are not met.

Carcinogenicity

Product Based on available data, the classification criteria are not met.

Reproductive toxicity

Product Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Single Exposure

Product May cause nausea and irritation of the respiratory tract. Hydrolysis of silanes in

the body forms silicic acid or hydrated silica.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		14/21
Last revised date :	-		

Specific Target Organ Toxicity - Repeated Exposure

Product Target Organ(s): Liver

Causes damage to the central nervous system. Causes damage to the

cardiovascular system.

Aspiration Hazard

Product Not applicable to gases and gas mixtures..

11.2 Information on other hazards

Endocrine disrupting properties

Product: The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.;

Components:

Silicon tetrafluoride The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.;

Other information

Product: No data available.

SECTION 12: Ecological information

General information: Not applicable

12.1 Toxicity

Acute toxicity

Product No ecological damage caused by this product.

Acute toxicity - Aquatic Invertebrates

Remarks: May cause pH changes in aqueous ecological systems.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		15/21
Last revised date :	-		·

12.2 Persistence and Degradability

Product Not applicable to gases and gas mixtures..

12.3 Bioaccumulative potential

Product The subject product is expected to biodegrade and is not expected to persist for

long periods in an aquatic environment.

12.4 Mobility in soil

Product Because of its high volatility, the product is unlikely to cause ground or water

pollution.

12.5 Results of PBT and vPvB

assessment

Product Not classified as PBT or vPvB.

12.6 Endocrine disrupting properties:

Product: The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

Components:

Silicon tetrafluoride The substance/mixture does not contain components considered to have

endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission Regulation (EU)

2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects:

Other hazards

Product: No data available.

Other effects: No ecological damage caused by this product.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		16/21
Last revised date :	-		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Must not be discharged to atmosphere. Consult supplier for specific

recommendations.

Disposal methods: Refer to the EIGA code of practice (Doc.30 "Disposal of Gases", downloadable at

http://www.eiga.org) for more guidance on suitable disposal methods. Dispose of container via supplier only. Discharge, treatment, or disposal may be subject to

national, state, or local laws.

European Waste Codes

Container: 16 05 04*: Gases in pressure containers (including halons) containing

hazardous substances.

SECTION 14: Transport information

ADR

14.1 UN number or ID number: UN 1859

14.2 UN Proper Shipping Name: SILICON TETRAFLUORIDE

14.3 Transport Hazard Class(es)

Class: 2
Label(s): 2.3, 8
Hazard No. (ADR): 268
Tunnel restriction code: (C/D)

14.4 Packing Group: –
Limited quantity None.
Excepted quantity None.

14.5 Environmental hazards: Not applicable

14.6 Special precautions for user:



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		17/21
Last revised date :	-		·

RID

14.1 UN number or ID number: UN 1859

14.2 UN Proper Shipping Name SILICON TETRAFLUORIDE

14.3 Transport Hazard Class(es)

Class: 2
Label(s): 2.3, 8

14.4 Packing Group: Limited quantity None.

Excepted quantity None.

14.5 Environmental hazards: Not applicable

14.6 Special precautions for user:

IMDG

14.1 UN number or ID number: UN 1859

14.2 UN Proper Shipping Name: SILICON TETRAFLUORIDE

14.3 Transport Hazard Class(es)

 Class:
 2.3

 Label(s):
 2.3, 8

 EmS No.:
 F-C, S-U

14.4 Packing Group: -

Limited quantity None. Excepted quantity None.

14.5 Environmental hazards: Not applicable

14.6 Special precautions for user:

IATA

14.1 UN number or ID number: UN 1859

14.2 Proper Shipping Name: Silicon tetrafluoride

14.3 Transport Hazard Class(es):

Class: 2.3
Label(s):
14.4 Packing Group: Limited quantity None.

Excepted quantity None.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		18/21
Last revised date :	-		·

14.5 Environmental hazards:

Not applicable

14.6 Special precautions for user:

Other information

Passenger and cargo aircraft:

Forbidden.

Cargo aircraft only: Forbidden.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Additional identification:

Avoid transport on vehicles where the load space is not separated from the driver's compartment. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. Before transporting product containers ensure that they are firmly secured. Ensure that the container valve is closed and not leaking. Container valve quards or caps should be in place. Ensure adequate air ventilation.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

EU. REACH Annex XIV, Substances Subject to Authorization as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended: None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as **amended:** None present or none present in regulated quantities.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended: None present or none present in regulated quantities.



SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		19/21
Last revised date :	-		, i

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, Annex I:

Classification	Lower-tier Requirements	Upper-tier Requirements
H2. Acute toxic	50 t	200 t

National Regulations

Council Directive 89/391/EEC on the introduction of measures to encourage improvements in the safety and health of workers at work Directive 2016/425/EEC on personal protective equipment Only products that comply with the food regulations (EC) No. 1333/2008 and (EU) No. 231/2012 and are labelled as such may be used as food additives.

This Safety Data Sheet has been produced to comply with Regulation (EU) 2020/878.

15.2 Chemical safety assessment: No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information: Not relevant.

Abbreviations and acronyms:

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR -Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; EIGA - European Industrial Gases Association; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic SDS DK - 000010021730



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		20/21
Last revised date :	-		·

Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Key literature references and sources for data:

Various sources of data have been used in the compilation of this SDS, they include but are not exclusive to:

Agency for Toxic Substances and Diseases Registry (ATSDR)

(http://www.atsdr.cdc.gov/).

European Chemical Agency: Guidance on the Compilation of Safety Data Sheets.

European Chemical Agency: Information on Registered Substances

http://apps.echa.europa.eu/registered/registered-sub.aspx#search

European Industrial Gases Association (EIGA) Doc. 169 "Classification and Labelling auide". as amended.

International Programme on Chemical Safety (http://www.inchem.org/) ISO 10156:2010 Gases and gas mixtures - Determination of fire potential and oxidizing ability for the selection of cylinder valve outlets.

Matheson Gas Data Book, 7th Edition.

National Institute for Standards and Technology (NIST) Standard Reference Database Number 69.

The ESIS (European chemical Substances 5 Information System) platform of the former European Chemicals Bureau (ECB) ESIS (http://ecb.jrc.ec.europa.eu/esis/). The European Chemical Industry Council (CEFIC) ERICards.

United States of America's National Library of Medicine's toxicology data network TOXNET (http://toxnet.nlm.nih.gov/index.html)

Threshold Limit Values (TLV) from the American Conference of Governmental Industrial Hygienists (ACGIH).

Substance specific information from suppliers.

Details given in this document are believed to be correct at the time of publication.

Wording of the H-statements in section 2 and 3

H280	Contains gas under pressure; may explode if heated.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H330	Fatal if inhaled.



According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

Silicon tetrafluoride

Issue Date:	16.01.2013	Version: 1.0	SDS No.: 000010021730
Revision Date:	01.11.2023		21/21
Last revised date :	-		·

Training information: Users of breathing apparatus must be trained. Ensure operators understand the

toxicity hazard.

Classification according to Regulation (EC) No 1272/2008 as amended.

Press. Gas Liq. Gas, H280 Acute Tox. 2, H330 Skin Corr. 1A, H314

Eye Dam. 1, H318

Other information: Before using this product in any new process or experiment, a thorough material

compatibility and safety study should be carried out. Ensure adequate air ventilation. Ensure all national/local regulations are observed. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting

from its use can be accepted.

Last revised date: 01.11.2023

Disclaimer: This information is provided without warranty. The information is believed to be

correct. This information should be used to make an independent determination of

the methods to safeguard workers and the environment.